## Listing of the Claims:

This listing of Claims will replace all prior versions, and listings, of claims in the application.

- 1. (Withdrawn) A method of treating a human suffering from a disorder associated with dyslipidemia, said method comprising administering to the subject an effective amount of a purified non-human animal ApoA-I protein.
- 2. (Withdrawn) The method of Claim 1 wherein the disorder associated with dyslipidemia is hypercholesterolemia.
- 3. (Withdrawn) The method of Claim 1 wherein the disorder associated with dyslipidemia is cardiovascular disease.
- 4. (Withdrawn) The method of Claim 1 wherein the disorder associated with dyslipidemia is atherosclerosis.
- 5. (Withdrawn) The method of Claim 1 wherein the disorder associated with dyslipidemia is restenosis.
- 6. (Withdrawn) The method of Claim 1 wherein the disorder associated with dyslipidemia is HDL or ApoA-I deficiency.
- 7. (Withdrawn) The method of Claim 1 wherein the disorder associated with dyslipidemia is hypertriglyceridemia.
- 8. (Withdrawn) A method of treating a subject suffering from an infection, said method comprising administering to the subject an effective amount of <u>a purified</u> non-human animal ApoA-I protein.
- 9. (Withdrawn) The method of Claim 8 wherein the infection is bacterial.
- 10. (Withdrawn) The method of Claim 9 wherein the infection is septic shock.
- 11. (Withdrawn) The method of Claim 8 wherein the infection is viral.
- 12. (Withdrawn) The method of Claim 11 wherein the virus is influenza.

- 13. (Withdrawn) The method of Claim 11 wherein the virus is human immunodeficiency virus.
- 14. (Withdrawn) The method of Claim 11 wherein the virus is cytomegalovirus.
- 15. (Withdrawn) The method of Claim 11 wherein the virus is herpes simplex virus.
- 16. (Currently amended) A pharmaceutical composition comprising a <u>purified</u> non-human animal ApoA-I protein Apolipoprotein A-I protein (ApoA-I protein) and a pharmaceutically acceptable carrier, excipient or diluent.
- 17. (Currently amended) A non-human animal ApoA-I protein-lipid complex comprising a <u>purified</u> non-human animal ApoA-I protein and a lipid wherein said complex activates

  <u>LCAT</u> (lecithin cholesterol acyl transferase) activity, promotes cholesterol efflux and is suitable for administration in humans.
- 18. (Currently amended) A pharmaceutical composition comprising a the non-human animal ApoA-I protein-lipid complex of Claim 17.
- 19. (Previously presented) The composition of Claim 18 wherein the lipid is sphingomyelin.
- 20. (Previously presented) The composition of Claim 19 which is in the form of a lyophilized powder.
- 21. (Previously presented) The composition of Claim 19 which is in the form of a solution.
- 22. (Withdrawn) The method of Claim 1 or 8 wherein said subject is a human.
- 23. (Withdrawn) The method of Claim 1 or 8 wherein the <u>purified</u> non-human animal ApoA-I protein is bovine.
- 24. (Withdrawn) The method of Claim 1 or 8 wherein the <u>purified</u> non-human animal ApoA-I protein is from chickens.
- 25. (Withdrawn) The method of Claim 1 or 8 wherein the <u>purified</u> non-human animal ApoA-I protein is from turkeys.

- 26. (Withdrawn) The method of Claim 1 or 8 wherein the <u>purified</u> non-human animal ApoA-I protein is from pigs.
- 27. (Withdrawn) The method of Claim 1 or 8 wherein about 0.5 mg/kg to about 100 mg/kg of the purified non-human animal ApoA-I protein is administered to said subject.
- 28. (Withdrawn) The method of administering the composition of Claim 26 wherein the composition is administered orally.
- 29. (Withdrawn) The method of Claim 26 wherein the composition is administered intravenously.
- 30. (Withdrawn) The method of Claim 26 wherein the composition is administered by inhalation.
- 31. (Withdrawn) The method of Claim 26 wherein the composition is administered once daily.
- 32. (Withdrawn) The method of Claim 26 wherein the composition is administered twice daily.
- 33. (Withdrawn) The method of Claim 26 wherein the composition is administered three times daily.
- 34. (Withdrawn) The method of Claim 26 wherein the composition is administered four times daily.
- 35. (Withdrawn) The method of Claim 26 wherein the composition is administered about once weekly.
- 36. (Withdrawn) The method of Claim 26 wherein the composition is administered about once monthly.
- 37. (Withdrawn) The method of Claim 26 wherein the composition is administered about every six months.
- 38. (Withdrawn) The method of Claim 26 wherein the composition is administered about once weekly for one month.

- 39. (New) The pharmaceutical composition of Claim 16 wherein the non-human animal ApoA-I protein has greater than about 38% human lecithin-cholesterol acyltransferase (LCAT) activation activity.
- 40. (New) The pharmaceutical composition of Claim 16 wherein the non-human animal ApoA-I protein has greater than about 40% human LCAT activation activity.
- 41. (New) The pharmaceutical composition of Claim 16 wherein the non-human animal ApoA-I protein has greater than about 43% human LCAT activation activity.
- 42. (New) The pharmaceutical composition of Claim 16 wherein the non-human animal ApoA-I protein has greater than about 45% human LCAT activation activity.
- 43. (New) The pharmaceutical composition of Claim 16 wherein the non-human animal ApoA-I protein is in the amount of about 1 to about 350 mg.
- 44. (New) The pharmaceutical composition of Claim 43 wherein the non-human animal ApoA-I protein is in the amount of about 1 to about 35 mg.
- 45. (New) The pharmaceutical composition of Claim 44 wherein the non-human animal ApoA-I protein is in the amount of about 7 to about 35 mg.
- 46. (New) The pharmaceutical composition of Claim 16 wherein the purified non-human animal ApoA-I protein is bovine.
- 47. (New) The pharmaceutical composition of Claim 16 wherein the purified non-human animal ApoA-I protein is chicken.
- 48. (New) The pharmaceutical composition of Claim 16 wherein the purified non-human animal ApoA-I protein is turkey.
- 49. (New) The pharmaceutical composition of Claim 16 wherein the purified non-human animal ApoA-I protein is porcine.
- 50. (New) The pharmaceutical composition of Claim 16 wherein said non-human animal ApoA-I protein having greater than about 60% homology with native human ApoA-I protein.

- 51. (New) The pharmaceutical composition of Claim 50 wherein said non-human animal ApoA-I protein having greater than about 70% homology with native human ApoA-I protein
- 52. (New) The pharmaceutical composition of Claim 51 wherein said non-human animal ApoA-I protein having greater than about 80% homology with native human ApoA-I protein.
- 53. (New) The pharmaceutical composition of Claim 52 wherein said non-human animal ApoA-I protein having greater than about 90% homology with native human ApoA-I protein.
- 54. (New) The ApoA-I protein-lipid complex of Claim 17 wherein the non-human animal ApoA-I protein is in the amount of about 1 to about 350 mg.
- 55. (New) The ApoA-I protein-lipid complex of Claim 54 wherein the non-human animal ApoA-I protein is in the amount of about 1 to about 35 mg.
- 56. (New) The ApoA-I protein-lipid complex of Claim 55 wherein the non-human animal ApoA-I protein is in the amount of about 7 to about 35 mg.
- 57. (New) The ApoA-I protein-lipid complex of Claim 17 wherein the non-human animal ApoA-I protein has greater than about 38% human LCAT activation activity.
- 58. (New) The ApoA-I protein-lipid complex of Claim 17 wherein the non-human animal ApoA-I protein has greater than about 40% human LCAT activation activity.
- 59. (New) The ApoA-I protein-lipid complex of Claim 17 wherein the non-human animal ApoA-I protein has greater than about 43% human LCAT activation activity.
- 60. (New) The ApoA-I protein-lipid complex of Claim 17 wherein the non-human animal ApoA-I protein has greater than about 45% human LCAT activation activity.
- 61. (New) The ApoA-I protein-lipid complex of Claim 17 wherein said non-human animal ApoA-I protein having greater than about 60% homology with native human ApoA-I protein.

- 62. (New) The ApoA-I protein-lipid complex of Claim 61 wherein said non-human animal ApoA-I protein having greater than about 70% homology with native human ApoA-I protein
- 63. (New) The ApoA-I protein-lipid complex of Claim 62 wherein said non-human animal ApoA-I protein having greater than about 80% homology with native human ApoA-I protein.
- 64. (New) The ApoA-I protein-lipid complex of Claim 63 wherein said non-human animal ApoA-I protein having greater than about 90% homology with native human ApoA-I protein.
- 65. (New) The ApoA-I protein-lipid complex of Claim 17 wherein said non-human animal ApoA-I protein is bovine.
- 66. (New) The ApoA-I protein-lipid complex of Claim 17 wherein said non-human animal ApoA-I protein is chicken.
- 67. (New) The ApoA-I protein-lipid complex of Claim 17 wherein said non-human animal ApoA-I protein is turkey.
- 68. (New) The ApoA-I protein-lipid complex of Claim 17 wherein said non-human animal ApoA-I protein is porcine.